CERTIFICATE OF COMPLIANCE

Certificate Number E312057

Report Reference E312057-20150619
Issue Date 2020-JANUARY-04

Issued to: Dewit Industrial Sensors BV

Oostergracht 40

3763 LZ Soest Netherlands

This certificate confirms that Proximity Switches

representative samples of Refer to the Addendum Page for Models

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60947-5-2, and CSA C22.2 No. 60947-5-2-14, Low-

Voltage Switchgear and Controlgear - Part 5-2: Control Circuit Devices And Switching Elements - Proximity

Switches

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Certificate Number E312057

Report Reference E312057-20150619
Issue Date 2020-JANUARY-04

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Class 2, Proximity switches, rotary encoders, Series QR, followed by 30, 40 or 40EM, may be followed by N, P, B, X or empty space, followed by any number or empty space, followed by numbers, followed by H, X, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, I, J, or empty space, followed by A, B, T, S, I, D, followed by 2 or empty space, followed by V, V2, V3, V4, V5, V6, I, P, C, SPI, IO, IC2, Z, S, W, CAN or CANJ, followed by K, P, PT, TT, C, M, F, or a combination of these characters, followed by numbers or empty space, may be followed by CM or CF, followed by 5V or empty space, followed by UL followed by any combination of characters.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

